Author Index of Volume 65

Adams, P.N., 159
Aeiyach, S., 27
Ahlskog, M., 77
Akagi, K., 93
Albouy, P.A., 131
Amano, K., 39
Angely, L., 55
Assadi, A., 77

Baeriswyl, D., 211
Batulin, V.P., 1
Baumer, V.N., 1
Bhattacharya, A., 35
Bhattacharyya, S.N., 35
Braun, D., 85
Brown, A., 85

Cao, Y., 167
Charra, F., 13
Conwell, E.M., 203
Cruz, L., 225

De, A., 35
de Leeuw, D.M., 45
Deshpande, M.S., 255
Du, G., 149
Dyachenko, O.A., 1

Efetov, K.B., 195
Emery, V.J., 249
Epstein, A.J., 103, 131, 149
Erwin, S.C., 255

Fichou, D., 13
Forveille, J.L., 5
Fukutome, H., 233

Gribkova, O.L., 71

Hasegawa, E., 39
Hasegawa, S., 173
Heeger, A.J., 167
Hourquebie, P., 19

Ikawa, A., 233
Ishiguro, T., 131, 141
Ishikawa, H., 39
Ivanov, V.F., 71

Jeckelmann, E., 211
Joo, J., 149

Kamiya, K., 173
Kaneko, H., 141, 149
Katagiri, G., 117
Kivelson, S.A., 249
Kohlman, R.S., 149
Kuznetsov, V.P., 1

Lacaze, P.C., 27
Lakin, E.E., 1
Laridjani, M., 131
Laughlin, P.J., 159
Lavie, M.-P., 13
Le Guyadec, P., 159

Loppinet, B., 65
Lorin, A., 13
Lous, E.J., 45

MacDiarmid, A.G., 103, 131, 149
Matsuura, Y., 81
Meijer, E.W., 85
Mele, E.J., 255
Min, Y., 131, 149
Miyamae, T., 173
Mizes, H.A., 203
Monkman, A.P., 159
Moses, D., 167
Muraki, N., 117

Nekrasov, A.A., 71
Nishio, S., 81
Nogami, Y., 131

Oblakowski, Z., 131
Oh, E.J., 131, 149
Okuda, T., 93
Olmedo, L., 5, 19

Paloheimo, J., 77
Phillips, P., 225
Pouget, J.P., 131, 149
Prigodin, V.N., 195

Rault-Berthelot, J., 55
Reghu, M., 167

Sakamaki, K., 93
Satoh, M., 39
Schweitzer, D., 65
Seki, K., 173
Shacklette, L.W., 123
Shimizu, M., 173
Shirakawa, H., 93
Söderholm, S., 65
Stafström, S., 185
Staring, E., 85
Starodub, V.A., 1
Stubb, H., 77

Takahashi, A., 117
Tanaka, C., 173
Tanaka, J., 173
Tanaka, K., 81
Travers, J.P., 159
Tsukamoto, J., 117, 131, 149

Vakiparta, K., 167
Vannikov, A.V., 71

Wang, D., 117

Yamabe, T., 81
Yamashiro, A., 233
Yoon, C.O., 167
Yoshino, K., 39

Zaid, B., 27
Zhang, Y.-X., 93

Synthetic Metals, 65 (1994) 265-267

Subject Index of Volume 65

Affinity
affinity of the poly-DB18-C6 resins towards Ni^{2+} cations and various organic substrates, 55

Bis(4,4,5,5-trisulfano-1,3-dithiole-2-thione)
structure of bis(4,4,5,5-trisulfano-1,3-dithiole-2-thione), C_6S_{12}, 1
Bonding
dipole and hydrogen-bonding interactions in polyaniline: a mechanism for conductivity enhancement, 123

Capacitors
highly conducting polypyrrole prepared from homogeneous mixtures of pyrrole/oxidizing agent and its applications to solid tantalum capacitors, 39
Cesium
Cs deposition on *c*-axis-oriented thin films of α-(BEDT-TTF)$_2$I$_3$: evidence for electron doping and intercalation, 65
Composite
preparation of polypyrrole composite with acrylic acid-grafted tetrafluoroethylene–hexafluoropropylene (Teflon–FEP) copolymer, 35
Conductance
electronic structure and conductance in heavily doped *trans*-polyacetylene, 185
Conducting phases
electronic phenomena in the conducting phases of orientationally disordered fullerides, 255
Conductivity
polarized resonance Raman scattering of iodine-doped polyacetylene with high conductivity, 117
dipole and hydrogen-bonding interactions in polyaniline: a mechanism for conductivity enhancement, 123
Copolymer
preparation of polypyrrole composite with acrylic acid-grafted tetrafluoroethylene–hexafluoropropylene (Teflon–FEP) copolymer, 35
Crown ethers
affinity of the poly-DB18-C6 resins towards Ni^{2+} cations and various organic substrates, 55

Deposition
fractionating vacuum thermal deposition of polyaniline films. Effect of post-deposition acid–base treatment, 71
Deposits
controlling the quality of deposits of polyaniline synthesized on glass fiber fabric, 5
Dielectric constant
inhomogeneous disorder and the modified Drude metallic state of conducting polymers, 149
Diodes
metal–insulator–semiconductor Schottky-type diodes of doped thiophene oligomers, 45
pressure-dependent operation in poly(3-alkylthiophene) field-effect transistors and Schottky diodes, 77
Disorder
inhomogeneous disorder and the modified Drude metallic state of conducting polymers, 149
Doping
metal–insulator–semiconductor Schottky-type diodes of doped thiophene oligomers, 45
Cs deposition on *c*-axis-oriented thin films of α-(BEDT-TTF)$_2$I$_3$: evidence for electron doping and intercalation, 65
doping effect on organic semiconductive thin film by plasma polymerization of 3,4,9,10-perylenetetracarboxylic dianhydride, 81
the concept of secondary doping as applied to polyaniline, 103
polarized resonance Raman scattering of iodine-doped polyacetylene with high conductivity, 117
electrical conductance in metallic phases of fully doped polyacetylene, 141
experimental and theoretical basis for polson model of doped polyacetylene, 173
electronic structure and conductance in heavily doped *trans*-polyacetylene, 185
electronic and lattice structures in potassium-doped stage-1 polyacetylene, 233
Drude metallic state
inhomogeneous disorder and the modified Drude metallic state of conducting polymers, 149

Electrical conductance
electrical conductance in metallic phases of fully doped polyacetylene, 141
Electrodes
electropolymerization of pyrrole in propylene carbonate on zinc electrodes modified by heteropolyanions, 27
Electroluminescence
state-of-the-art: in polymer light-emitting diodes NEOME Polymer LED Mini Symposium 15–17 September 1993, Eindhoven, The Netherlands, 85
Electronic phenomena
electronic phenomena in the conducting phases of orientationally disordered fullerides, 255
Electropolymerization
electropolymerization of pyrrole in propylene carbonate on zinc electrodes modified by heteropolyanions, 27

Fiber
controlling the quality of deposits of polyaniline synthesized on glass fiber fabric, 5
Field-effect transistors
pressure-dependent operation in poly(3-alkylthiophene) field-effect transistors and Schottky diodes, 77
Films
electromodulated absorption spectroscopy of charge carriers in α-sexithiophene thin films, 13
fractionating vacuum thermal deposition of polyaniline films. Effect of post-deposition acid–base treatment, 71
doping effect on organic semiconductive thin film by plasma polymerization of 3,4,9,10-perylenetetracarboxylic dianhydride, 81
Fullerides
electronic phenomena in the conducting phases of orientationally disordered fullerides, 255

Elsevier Science S.A.

Glass fiber
controlling the quality of deposits of polyaniline synthesized on glass fiber fabric, 5

Heteropolyanions
electropolymerization of pyrrole in propylene carbonate on zinc electrodes modified by heteropolyanions, 27
Hydration
dipole and hydrogen-bonding interactions in polyaniline: a mechanism for conductivity enhancement, 123

Intercalation
Cs deposition on *c*-axis-oriented thin films of α-(BEDT-TTF)$_2$I$_3$: evidence for electron doping and intercalation, 65

Lattice
metallic polyacetylene is a soliton lattice, 225
electronic and lattice structures in potassium-doped stage-1 polyacetylene, 233
Light-emitting diodes
state-of-the-art: in polymer light-emitting diodes NEOME Polymer LED Mini Symposium 15–17 September 1993, Eindhoven, The Netherlands, 85

Magnetic field
tuning through the critical regime of the metal–insulator transition in conducting polymers by pressure and magnetic field, 167
Metal–insulator transition
tuning through the critical regime of the metal–insulator transition in conducting polymers by pressure and magnetic field, 167
metal–insulator transition in an irregular structure of coupled metallic chains, 195
the metal–insulator transition in polyacetylene: variational study of the Peierls–Hubbard model, 211
Metallic polymers
recent structural investigations of metallic polymers, 131
Microwave properties
influence of structural parameters of conducting polymers on their microwave properties, 19
Model
experimental and theoretical basis for polson model of doped polyacetylene, 173
soliton model of metallic state in polyacetylene, 203
the metal–insulator transition in polyacetylene: variational study of the Peierls–Hubbard model, 211
Modeling
dipole and hydrogen-bonding interactions in polyaniline: a mechanism for conductivity enhancement, 123

Nickel
affinity of the poly-DB18-C6 resins towards Ni^{2+} cations and various organic substrates, 55

Oligomers
metal–insulator–semiconductor Schottky-type diodes of doped thiophene oligomers, 45
Organic substrates
affinity of the poly-DB18-C6 resins towards Ni^{2+} cations and various organic substrates, 55

Peierls–Hubbard model
the metal–insulator transition in polyacetylene: variational study of the Peierls–Hubbard model, 211
Perylenetetracarboxylic dianhydride
doping effect on organic semiconductive thin film by plasma polymerization of 3,4,9,10-perylenetetracarboxylic dianhydride, 81
Plasma
doping effect on organic semiconductive thin film by plasma polymerization of 3,4,9,10-perylenetetracarboxylic dianhydride, 81
Polson
experimental and theoretical basis for polson model of doped polyacetylene, 173
Poly(3-alkythiophene)
pressure-dependent operation in poly(3-alkylthiophene) field-effect transistors and Schottky diodes, 77
Polyacetylene
various factors affecting the synthesis of highly conducting polyacetylene, 93
polarized resonance Raman scattering of iodine-doped polyacetylene with high conductivity, 117
electrical conductance in metallic phases of fully doped polyacetylene, 141
experimental and theoretical basis for polson model of doped polyacetylene, 173
electronic structure and conductance in heavily doped *trans*-polyacetylene, 185
soliton model of metallic state in polyacetylene, 203
the metal–insulator transition in polyacetylene: variational study of the Peierls–Hubbard model, 211
metallic polyacetylene is a soliton lattice, 225
electronic and lattice structures in potassium-doped stage-1 polyacetylene, 233
Polyaniline
controlling the quality of deposits of polyaniline synthesized on glass fiber fabric, 5
fractionating vacuum thermal deposition of polyaniline films. Effect of post-deposition acid–base treatment, 71
the concept of secondary doping as applied to polyaniline, 103
dipole and hydrogen-bonding interactions in polyaniline: a mechanism for conductivity enhancement, 123
spin dynamics study in polyaniline: macroscopic and microscopic transport property relationship, 159
Poly-DB18-C6 resins
affinity of the poly-DB18-C6 resins towards Ni^{2+} cations and various organic substrates, 55
Polymerization
doping effect on organic semiconductive thin film by plasma polymerization of 3,4,9,10-perylenetetracarboxylic dianhydride, 81
Polypyrrole
preparation of polypyrrole composite with acrylic acid-grafted tetrafluoroethylene–hexafluoropropylene (Teflon–FEP) copolymer, 35
highly conducting polypyrrole prepared from homogeneous mixtures of pyrrole/oxidizing agent and its applications to solid tantalum capacitors, 39
Pressure
tuning through the critical regime of the metal–insulator transition in conducting polymers by pressure and magnetic field, 167
Pyrrole
electropolymerization of pyrrole in propylene carbonate on zinc electrodes modified by heteropolyanions, 27

Quality control
controlling the quality of deposits of polyaniline synthesized on glass fiber fabric, 5

Schottky diodes
metal–insulator–semiconductor Schottky-type diodes of doped thiophene oligomers, 45
pressure-dependent operation in poly(3-alkylthiophene) field-effect transistors and Schottky diodes, 77
Semiconductor
metal–insulator–semiconductor Schottky-type diodes of doped thiophene oligomers, 45
doping effect on organic semiconductive thin film by plasma polymerization of 3,4,9,10-perylenetetracarboxylic dianhydride, 81
Sexithiophene
electromodulated absorption spectroscopy of charge carriers in α-sexithiophene thin films, 13
Soliton
soliton model of metallic state in polyacetylene, 203
metallic polyacetylene is a soliton lattice, 225
Solubility
dipole and hydrogen-bonding interactions in polyaniline: a mechanism for conductivity enhancement, 123
Spectroscopy
electromodulated absorption spectroscopy of charge carriers in α-sexithiophene thin films, 13
polarized resonance Raman scattering of iodine-doped polyacetylene with high conductivity, 117
Spin dynamics
spin dynamics study in polyaniline: macroscopic and microscopic transport property relationship, 159
Structural parameters
influence of structural parameters of conducting polymers on their microwave properties, 19
Structure
structure of bis(4,4,5,5-trisulfano-1,3-dithiole-2-thione), C_6S_{12}, 1
recent structural investigations of metallic polymers, 131
electronic structure and conductance in heavily doped *trans*-polyacetylene, 185
metal–insulator transition in an irregular structure of coupled metallic chains, 195
electronic and lattice structures in potassium-doped stage-1 polyacetylene, 233
Superconductivity
strategies for finding superconductivity in conducting polymers, 249
Superconductors
Cs deposition on *c*-axis-oriented thin films of α-(BEDT-TTF)$_2$I$_3$: evidence for electron doping and intercalation, 65
Surfaces
electropolymerization of pyrrole in propylene carbonate on zinc electrodes modified by heteropolyanions, 27
Symposium
state-of-the-art: in polymer light-emitting diodes NEOME Polymer LED Mini Symposium 15–17 September 1993, Eindhoven, The Netherlands, 85
Synthesis
various factors affecting the synthesis of highly conducting polyacetylene, 93

Tantalum
highly conducting polypyrrole prepared from homogeneous mixtures of pyrrole/oxidizing agent and its applications to solid tantalum capacitors, 39
Tetrafluoroethylene–hexafluoropropylene
preparation of polypyrrole composite with acrylic acid-grafted tetrafluoroethylene–hexafluoropropylene (Teflon–FEP) copolymer, 35
Thiophene
metal–insulator–semiconductor Schottky-type diodes of doped thiophene oligomers, 45
Transport
spin dynamics study in polyaniline: macroscopic and microscopic transport property relationship, 159

Zinc
electropolymerization of pyrrole in propylene carbonate on zinc electrodes modified by heteropolyanions, 27